

DAFTAR PUSTAKA

1. Organization World Health Organization. Global nutrition targets 2025: Stunting policy brief. World Health Organization; 2014.
2. Apriluana G, Fikawati S. Analisis faktor-faktor risiko terhadap kejadian stunting pada balita (0-59 bulan) di negara berkembang dan asia tenggara. *Media Penelitian dan Pengembangan Kesehatan*. 2018;28(4):247–56.
3. Aji AS, Gz S. The Role of Nutrition in The Quality of Indonesian Human Resources Development.
4. Unicef. In Brief To The State Of Food Security And Nutrition In The World 2022. 2022;
5. Simbolon N, Siringo-ringo M, Manalu M, STIKes Santa Elisabeth Medan K. Gambaran Pengetahuan Ibu Balita tentang Status Gizi Berdasarkan Karakteristik Tahun 2022.
6. Tessema M, Belachew T, Ersino G. Feeding patterns and stunting during early childhood in rural communities of Sidama South Ethiopia. *Pan African Medical Journal*. 2013;14.
7. Bhutta ZA, Ahmed T, Black RE, Cousens S, Dewey K, Giugliani E, et al. What works? Interventions for maternal and child undernutrition and survival. *The lancet*. 2008;371(9610):417–40.
8. Group on Infant W, Child Feeding Indicators Y. Developing and Validating Simple Indicators of Dietary Quality and Energy Intake of Infants and Young Children in Developing Countries: Summary of findings from analysis of 10 data sets. 2006.
9. Masuke R, Msuya SE, Mahande JM, Diarz EJ, Stray-Pedersen B, Jahanpour O, et al. Effect of inappropriate complementary feeding practices on the nutritional status of children aged 6-24 months in urban Moshi, Northern Tanzania: Cohort study. *PLoS One*. 2021 May 1;16(5 May).
10. Reducing Stunting In Children Equity Considerations For Achieving The Global Nutrition Targets 2025.
11. Buku_EPIDEMIOLOGI_STUNTING_KOMPLIT.
12. Gizi P, Makanan D, Komang N, Wangiyana AS, Karuniawaty TP, John RE, et al. Penel Gizi Makan 2020, 43(2):81-88 Praktik Pemberian Mp-Asi Terhadap Risiko Stunting Pada Anak Usia 6-12

Bulan Di Lombok Tengah (The Complementary Feeding Practice And Risk Of Stunting Among Children Aged 6-12 Months In Central Lombok).

13. Phyo SW, Keiwkarnka B, Mongkolchati A. Factors related to stunting status of children aged under two years in Magway township, Myanmar. Vol. 12, Journal of Public Health and Development.
14. Geresomo N, Mbuthia EK, Matofari JW, Mwangwela AM. Risk factors associated with stunting among infants and young children aged 6 - 23 Months in Dedza District of Central Malawi. African Journal of Food, Agriculture, Nutrition and Development. 2017;17(4):12854–70.
15. Rahmawati S, Saraswati D, Lina N. Pengaruh Pendidikan Kesehatan Dengan Media Flash Card Terhadap Pengetahuan Ibu Hamil Mengenai Pencegahan Stunting. Jurnal Kesehatan Komunitas Indonesia. 2022;18(1).
16. Unicef, WHO WB. Levels and trends in child malnutrition: key findings of the 2019 edition of the Joint Child Malnutrition Estimates. Geneva: World Health Organization. 2020;
17. Mahmudiono T, Sumarmi S, Rosenkranz RR. Household dietary diversity and child stunting in East Java, Indonesia. Asia Pac J Clin Nutr. 2017;26(2):317–25.
18. UNICEF. World Health Organization/The World Bank Group joint child malnutrition estimates: key findings of the 2021 edition.
19. Rokom. Penurunan Prevalensi Stunting tahun 2021 sebagai Modal Menuju Generasi Emas Indonesia 2045. sehatnegeriku.kemkes.go.id. 2021. p. 1–1.
20. Kementrian Kesehatan RI. Hasil Utama RISKESDAS 2018. Badan Penelitian dan Pengembangan Kesehatan, editor. Jakarta : Badan Penelitian dan Pengembangan Kesehatan ; 2018. 1–220 p.
21. Kebijakan B, Kesehatan P, Ri KK. BUKU SAKU Hasil Survei Status Gizi Indonesia (SSGI) 2022.
22. Apriluana G, Fikawati S. Analisis faktor-faktor risiko terhadap kejadian stunting pada balita (0-59 bulan) di negara berkembang dan asia tenggara. Media Penelitian dan Pengembangan Kesehatan. 2018;28(4):247–56.

23. Kostania G, Rahayu RD. Efektifitas Penyelenggaraan Kelas Ibu Balita Terhadap Pengetahuan Dan Perilaku Ibu Tentang Mp-Asi Usia 6-12 Bulan. *Jurnal Ilmiah Bidan*. 2018;3(3):11–9.
24. Vilcins D, Sly PD, Jagals P. Environmental risk factors associated with child stunting: a systematic review of the literature. *Ann Glob Health*. 2018;84(4):551.
25. Budge S, Parker AH, Hutchings PT, Garbutt C. Environmental enteric dysfunction and child stunting. *Nutr Rev*. 2019;77(4):240–53.
26. Millward DJ. Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutr Res Rev*. 2017;30(1):50–72.
27. Kadarsih N. Pengaruh Video “Canting” Terhadap Peningkatan Pengetahuan Tentang Pencegahan Stunting Pada Ibu Hamil Di Puskesmas Turi Tahun 2022 [Thesis]. [Yogyakarta]: Poltekkes Kemenkes Yogyakarta; 2022.
28. Utomo APW, Nurdianti DS, Padmawati RS. Rendahnya asupan zat besi dan kepatuhan mengonsumsi tablet besi berhubungan dengan kejadian anemia pada ibu hamil di Wilayah Kerja Puskesmas I Kembaran, Banyumas. *Jurnal Gizi dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics)*. 2016;3(1):41–50.
29. Fakhriana A, Nurani N, Triasih R. Berat Badan Lahir Rendah sebagai Faktor Risiko Stunted pada Anak Usia Sekolah. *Sari Pediatri*. 2020;22(1):18–23.
30. el Taguri A, Betimal I, Mahmud SM, Ahmed AM, Goulet O, Galan P, et al. Risk factors for stunting among under-fives in Libya. *Public Health Nutr*. 2009;12(8):1141–9.
31. Rehman AM, Gladstone BP, Verghese VP, Muliyl J, Jaffar S, Kang G. Chronic growth faltering amongst a birth cohort of Indian children begins prior to weaning and is highly prevalent at three years of age. *Nutr J*. 2009;8(1):1–11.
32. Tang X, Zhao Y, Liu Q, Hu D, Li G, Sun J, et al. The Effect of Risk Accumulation on Childhood Stunting: A Matched Case-Control Study in China. *Front Pediatr*. 2022;10.
33. Titaley CR, Ariawan I, Hapsari D, Muasyaroh A, Dibley MJ. Determinants of the stunting of children under two years old in

- Indonesia: a multilevel analysis of the 2013 Indonesia basic health survey. *Nutrients*. 2019;11(5):1106.
34. Kebidanan JI, Fitri L, Kebidanan A, Pekanbaru H. Al-Insyirah Midwifery. Available from: <http://jurnal.alinsyirah.ac.id/index.php/kebidanan>
 35. Handayani U, Fujiana F, Murtilita M. Pemberian Makanan Pendamping Asi Diniterhadap Kejadian Stunting Pada Balita: Literature Review. *Jurnal ProNers*. 6(2).
 36. Fuadi TM. The Culture of Mee Bu for Declining Stunting: Aceh Local Wisdom in the Process of Reproduction. Vol. 21, *Jurnal Biologi Edukasi Edisi*. 2018.
 37. Germani J, Daud T, Ilmu F, Universitas K, Tunggadewi T. Penguatan Kearifan Lokal Dalam Pencegahan Stunting Di Indonesia Dengan Memanfaatkan Daun Katuk (*Sauropus Androgynous*).
 38. UNICEF Conceptual Framework.
 39. Siddiqa M, Zubair A, Kamal A, Ijaz M, Abushal T. Prevalence and associated factors of stunting, wasting and underweight of children below five using quintile regression analysis (PDHS 2017–2018). *Sci Rep*. 2022;12(1):20326.
 40. Peraturan Menteri Kesehatan Republik Indonesia.
 41. Fewtrell M, Bronsky J, Campoy C, Domellöf M, Embleton N, Mis NF, et al. Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) Committee on Nutrition. *J Pediatr Gastroenterol Nutr*. 2017;64(1):119–32.
 42. Hendriyani H, Sudargo T, Lusmilasari L, Helmyati S, Susetyowati S, Nindrea RD. Complementary feeding self-efficacy: a concept analysis. *Open Access Maced J Med Sci*. 2020;8(F):11–22.
 43. de Onis M, Borghi E, Arimond M, Webb P, Croft T, Saha K, et al. Prevalence thresholds for wasting, overweight and stunting in children under 5 years. *Public Health Nutr*. 2019;22(1):175–9.
 44. Camci N, Bas M, Buyukkaragoz AH. The psychometric properties of the Child Feeding Questionnaire (CFQ) in Turkey. *Appetite*. 2014 Jul 1;78:49–54.
 45. Puspaningrum E, Umijati S, Utami S, Husada D. Nutritional Status Of Infants Based On Frequency And Dietary Diversity Of

Complementary Feeding. Indonesian Midwifery and Health Sciences Journal. 2021 Oct 11;4(2):160–7.

46. 120-Article Text-199-2-10-20191022.
47. Gizi P, Makanan D, Komang N, Wangiyana AS, Karuniawaty TP, John RE, et al. Penel Gizi Makan 2020, 43(2):81-88 Praktik Pemberian Mp-Asi Terhadap Risiko Stunting Pada Anak Usia 6-12 Bulan Di Lombok Tengah (The Complementary Feeding Practice And Risk Of Stunting Among Children Aged 6-12 Months In Central Lombok).
48. Hadibah Hanum N. Hubungan Tinggi Badan Ibu dan Riwayat Pemberian MP-ASI dengan Kejadian Stunting pada Balita Usia 24-59 Bulan. 2019;78–84.

