

BIBLIOGRAPHY

- Association of Official Agricultural Chemists (AOAC). (2005). *Official Methods of Analysis of AOAC International*. Washington DC: AOAC Inc.
- Bartosz, I. S., & Bartosz, G. (2021). Biological Properties and Applications of Betalains. *Molecules*, 26(9), 2520. doi:10.3390/molecules26092520
- Chen, J., Du, J., Li, M., & Li, C. (2020). Degradation Kinetics And Pathways Of Red Raspberry Anthocyanins In Model And Juice Systems And Their Correlation With Color And Antioxidant Changes During Storage. *LWT*, 109448. doi:10.1016/j.lwt.2020.109448
- Deskalia, M. (2020). Pengaruh Perbedaan Penambahan Sari Daging Buah Naga Merah (*Hylocereus Polyrhizus*) Terhadap Karakteristik Marshmallow
- Elik, A., Yanik, D. K., Maskan, M., & Göğüş, F. (2016). Influence of three different concentration techniques on evaporation rate, color and phenolics content of Blueberry Juice. *Journal of Food Science and Technology*, 53(5), 2389–2395. <https://doi.org/10.1007/s13197-016-2213-0>
- Finelli, C. (2019). Contribution to molecular nutrition: Carbohydrates. *Molecular Nutrition: Carbohydrates*, 91–112. doi:10.1016/b978-0-12-849886-6.00001-x
- Gengatharan, A., Dykes, G. A., & Choo, W. S. (2015). Betalains: Natural plant pigments with potential application in functional foods. *LWT - Food Science and Technology*, 64(2), 645–649. doi:10.1016/j.lwt.2015.06.052
- Ghareaghajlou, N., Hallaj-Nezhadi, S., & Ghasempour, Z. (2021). Red cabbage anthocyanins: Stability, extraction, biological activities and applications in food systems. *Food Chemistry*, 365, 130482. doi:10.1016/j.foodchem.2021.130482
- Gibas, K., & Janas, P. (2021). Use of gelatine in the food industry: Structure and functional properties in aerated systems. *Acta Scientiarum Polonorum Technologia Alimentaria*, 20(1), 5–18. <https://doi.org/10.17306/J.AFS.2021.0825>
- Glangkarn, S. (2015). Antioxidant Activity in Red Dragon Fruit Jelly. *Scientific and Academic Publishing*. 5(5). 203-206. doi: 10.5923/j.fph.20150505.06.
- Gueli, A. M., Bonfiglio, G., Pasquale, S., & Troja, S. O. (2016). Effect of particle size on pigments colour. *Color Research & Application*, 42(2), 236–243. <https://doi.org/10.1002/col.22062>

- Harni, M., Putri, S. K., Gusmalini, & Handayani, T. D. (2021). Characteristics Of Glucose Syrup From Various Sources Of Starch. *IOP Conference Series: Earth and Environmental Science*, 757(1), 012064. <https://doi.org/10.1088/1755-1315/757/1/012064>
- Hartel, R. W., Ergun, R., & Vogel, S. (2010). Phase/state transitions of confectionery sweeteners: Thermodynamic and kinetic aspects. *Comprehensive Reviews in Food Science and Food Safety*, 10(1), 17–32. <https://doi.org/10.1111/j.1541-4337.2010.00136.x>
- Herrera, B., Moposita, D., & Tigre, A. (2020). Obtaining the red pigment (betacyanin) from beet (beta vulgaris) and its application in the preparation of refreshments. *Eurasian Journal of Bioscience*. 14(2). 5809-5813.
- Hinkova, A., Bubnik, Z., & Kadlec, P. (2014). Chemical composition of sugar and confectionery products. *Handbook of Food Chemistry*, 1–34. https://doi.org/10.1007/978-3-642-41609-5_30-1
- Hoffmann, T. G., Meinert, C., Ormelez, F., Campani, M., Bertoli, S. L., Ender, L., & de Souza, C. K. (2023). Fresh food shelf-life improvement by humidity regulation in domestic refrigeration. *Procedia Computer Science*, 217, 826–834. <https://doi.org/10.1016/j.procs.2022.12.279>
- Jaiswal, A. K., Shankar, S. (2023). Food Packaging and Preservation: Antimicrobial Materials and Technologies.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(1), 1361779. <https://doi.org/10.1080/16546628.2017.1361779>
- Kirtil, E., Aydogdu, A., & Oztop, M. H. (2017). Investigation of physical properties and moisture sorption behaviour of different marshmallow formulations. *Acta Horticulturae*, (1152), 243–248. doi:10.17660/actahortic.2017.1152
- Lamuela-Raventós, R. M. (2017). Folin-Ciocalteu method for the measurement of total phenolic content and antioxidant capacity. *Measurement of Antioxidant Activity & Capacity*, 107–115. doi:10.1002/9781119135388.ch6
- Le, X. T., Huynh, M. T., Pham, T. N., Than, V. T., Toan, T. Q., Bach, L. G., & Trung, N. Q. (2019). Optimization of total anthocyanin content, stability and antioxidant evaluation of the anthocyanin extract from Vietnamese Carissa Carandas L. fruits. *Processes*, 7(7), 468. <https://doi.org/10.3390/pr7070468>
- Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., Li, L., Zhang, Q., Liu, Y., Chen, H., Qin, W., Wu, H., & Chen, S. (2016). An overview of plant

- phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*, 21(10), 1374. <https://doi.org/10.3390/molecules21101374>
- Lis, K., & Bartuzi, Z. (2023). Plant food dyes with antioxidant properties and allergies—friend or enemy? *Antioxidants*, 12(7), 1357. <https://doi.org/10.3390/antiox12071357>
- Malta, L. G., Liu R. H. (2014). Analyses of Total Phenolics, Total Flavonoids, and Total Antioxidant Activities in Foods and Dietary Supplements. *Encyclopedia of Agriculture and Food Systems*.
- Mardani, M., Yeganehzad, S., Ptichkina, N., Kodatsky, Y., Kliukina, O., & Nepovinnykh, N. (2019). Study on foaming, rheological and thermal properties of gelatin-free marshmallow. *Food Hydrocolloids*, 93, 335–341. <https://doi.org/10.1016/j.foodhyd.2019.02.033>
- Miller, M. D., Steinmaus, C., Golub, M. S., Castorina, R., Thilakartne, R., Bradman, A., & Marty, M. A. (2022). Potential impacts of synthetic food dyes on activity and attention in children: A review of the human and animal evidence. *Environmental Health*, 21(1). <https://doi.org/10.1186/s12940-022-00849-9>
- Mrázková, M., Sumczynski, D., & Orsavová, J. (2023). Influence of storage conditions on stability of phenolic compounds and antioxidant activity values in nutraceutical mixtures with edible flowers as new dietary supplements. *Antioxidants*, 12(4), 962. <https://doi.org/10.3390/antiox12040962>
- Nedamani, A. R. (2022). *Stability Enhancement of Natural Food Colorants – A Review. Journal of Research and Innovation in Food Science and Technology*, 10(4), 369–388. <https://doi.org/10.22101/jrifst.2022.277772.1235>
- Nishikito, D. F., Borges, A. C., Laurindo, L. F., Otoboni, A. M., Direito, R., Goulart, R. de, Nicolau, C. C., Fiorini, A. M., Sinatora, R. V., & Barbalho, S. M. (2023). Anti-inflammatory, antioxidant, and other health effects of dragon fruit and potential delivery systems for its bioactive compounds. *Pharmaceutics*, 15(1), 159. <https://doi.org/10.3390/pharmaceutics15010159>
- O’Connell, K., & Hartel, R. W. (2022). The effects of corn syrup, water content and sucrose replacers on sucrose crystallization in starch jellies. *Journal of Food Processing and Preservation*, 46(8), e16456. <https://doi.org/10.1111/jfpp.16456>
- Plaza-Diaz, J., & Gil, A. (2016). Sucrose: Dietary Importance. *Encyclopedia of Food and Health*, 199–204. doi:10.1016/b978-0-12-384947-2.00668-1

- Rather, J. A., Akhter, N., Ashraf, Q. S., Mir, S. A., Makroo, H. A., Majid, D., Barba, F. J., Khaneghah, A. M., & Dar, B. N. (2022). A comprehensive review on gelatin: Understanding impact of the sources, extraction methods, and modifications on potential packaging applications. *Food Packaging and Shelf Life*, 34, 100945. <https://doi.org/10.1016/j.fpsl.2022.100945>
- Şener, H. (2018). *Effect of Temperature and Duration of Maceration on Colour and Sensory Properties of Red Wine: A Review*. South African Journal of Enology and Viticulture, 39(2), 1–8. <https://doi.org/10.21548/39-2-3160>
- Singh, R. (2015). Hybrid Membrane Systems – Applications and Case Studies. *Membrane Technology and Engineering for Water Purification*, 179–281. doi:10.1016/b978-0-444-63362-0.00003-3
- Sitanggang, F. A., Machfoedz, M. M., & Falah, M. A. (2022). Comparison of color quality measurement using chromameter and image processing for dehydrated Strawberry Products. *Proceedings of the 2nd International Conference for Smart Agriculture, Food, and Environment (ICSAFE 2021)*, 4–17. https://doi.org/10.2991/978-94-6463-090-9_2
- Sumalatha, M., PhaniDeepthi, A. N., Vamsi, S. S., Raman, N. P. S. S. V., & Krishna, Y. G. (2022). Modeling and static analysis of rotary evaporator parts using Solidworks. *Proceedings of the International Conference on Industrial Engineering and Operations Management*, 873–883. <https://doi.org/10.46254/in02.20220258>
- Szalóki-Dorkó, L., Végvári, G., Ladányi, M., Ficzek, g., & Stéger-Máté., M. (2015). Degradation of Anthocyanin Content in Sour Cherry Juice During Heat Treatment. *Food Technol. Biotechnol.* 53 (3) 354–360. doi: 10.17113/ftb.53.03.15.3931
- Tan, J. M., & Lim, M. H. (2008). Effects of gelatine type and concentration on the shelf-life stability and quality of Marshmallows. *International Journal of Food Science & Technology*, 43(9), 1699–1704. <https://doi.org/10.1111/j.1365-2621.2008.01756.x>
- Tang, R., He, Y., & Fan, K. (2023). Recent advances in stability improvement of anthocyanins by efficient methods and its application in Food Intelligent Packaging: A Review. *Food Bioscience*, 56, 103164. <https://doi.org/10.1016/j.fbio.2023.103164>
- Teng, Z., Jiang, X., He, F., & Bai, W. (2020). Qualitative and quantitative methods to evaluate anthocyanins. *eFood*, 1(5), 339–346. <https://doi.org/10.2991/efood.k.200909.001>
- Vojdani, A., & Vojdani, C. (2015). Immune reactivity to food coloring. *Alternative therapies in health and medicine*, 21 Suppl 1, 52–62.

- Wang, X., & Feng, H. (2023). Investigating the role played by osmotic pressure difference in osmotic dehydration: Interactions between apple slices and binary and multi-component osmotic systems. *Foods*, 12(17), 3179. <https://doi.org/10.3390/foods12173179>
- Widyasanti, A., Arsyad, M. Z., & Wulandari, E. (2021). Anthocyanin extraction of Red Dragon Fruit Peels (hylocereus polyrhizus) using maceration method. *Jurnal Agroindustri*, 11(2), 72–81. <https://doi.org/10.31186/j.agroindustri.11.2.72-81>
- Wong, Y.-M., & Siow, L.-F. (2014). Effects of heat, pH, antioxidant, agitation and light on Betacyanin stability using red-fleshed dragon fruit (Hylocereus Polyrhizus) juice and concentrate as models. *Journal of Food Science and Technology*, 52(5), 3086–3092. <https://doi.org/10.1007/s13197-014-1362-2>
- Xie, S., Liu, Y., Chen, H., Zhang, Z., & Ge, M. (2021). Anthocyanin degradation and the underlying molecular mechanism in a red-fleshed grape variety. *LWT*, 151, 112198. <https://doi.org/10.1016/j.lwt.2021.112198>
- Xue, H., Zhao, J., Wang, Y., Shi, Z., Xie, K., Liao, X., & Tan, J. (2024). Factors affecting the stability of anthocyanins and strategies for improving their stability: A Review. *Food Chemistry: X*, 24, 101883. <https://doi.org/10.1016/j.fochx.2024.101883>
- Yolanda, M. (2022). Stability of anthocyanin pigments of butterfly pea flower (Clitoria ternatea L.) extract with casein and whey protein. *Bachelor thesis, Universitas Pelita Harapan*.
- Zhang, Y., Truzzi, F., D'Amen, E., & Dinelli, G. (2021). Effect of storage conditions and time on the polyphenol content of wheat flours. *Processes*, 9(2), 248. <https://doi.org/10.3390/pr9020248>